Executive chair






TECHNICAL DETAILS

device

design J. Bennett & G. Ingignoli

backrest	in cold-foamed polyurethane, flexible (65 kg/m³), fire-retardant, CFC-free, with steel insert. Available in high and medium versions.
seat	pressed metal sheet with fire-retardant, CFC-free flexible polyurethane padding; polypropylene underseat cover.
armrests	pressure die-cast <u>aluminium</u> armrests, closed type, trapezoidal, linked to the backrest. Aluminium parts are available with a polished or black painted finish.

<u>self-calibrating synchronised device with 3-position</u>. Tilting angles: 18° backrest, 1° seat; starting position of the seat: 1.5° backwards. This device automatically adapts to the user's weight without requiring any operation. The backrest's tilt resistance is proportional to the weight placed on the seat.



Height adjustment	by gas lift with integrated lever under the seat. Allows a 11 cm excursion.
base	<u>5-star base</u> in polished aluminium or black epoxy powder coating. Self-locking, dual-tread, rubbered, swivel castors (Ø 60 mm for polished base, Ø 65 mm for black painted base).


ergonomics

Bia is equipped with the necessary mechanisms for proper and comfortable use, even for prolonged periods, as long as the following conditions are met: the standard sitting position requires maintaining angles of 90° between torso and thigh, between thigh and leg, and between leg and foot.

These last two angles are essential so that the foot, resting completely on the surface below, discharges part of the weight of the lower limb onto it, preventing excessive compression on the back thigh surface and promoting blood circulation to the heart.



base finishes	Polished	aluminium	Black alu	Black aluminium				
armrest finishes	Polished	aluminium	Black alu	Black aluminium				
fabrics	Cat.D Skill (eco-leat	PGTR	PGCD	PGTA	PGR1	PGCG	PGBZ	
	PGGB	PGVC	PGM2	PGNE				
	Cat. F							
	Step STX2	STZ9	STSB	STE1	STBS	STVU	STE4	
	STE3	STE2	STNE	OTE	0100	0170	SILI	
	Chili		0000	001/10	00)/0	0000	0004	
	SOG6	S0G2	S0G3	SOM3	S0V2	SORO	SOR4	
	SORA SOV7	SOR7	SOR2	SOB9	SOB8	S0V5	S0V6	
	5007	SUIVE						
	Silvertex							
	SBR7	SBV1	SBR3	SBR4	SBR5	SBR6	SBB7	
	SBB3	SBB6	SBG1	SBBI	SBM2	SBV4	SBV6	
	SBV3	SBG6						
	Valencia							
	SWR6	SWBI	SWV7	SWRA	SWR8	SWR3	SWR2	
	SWB8	SWG4	SWB9	SWB2	SWM6	SWG0	SWG8	
	SWG7	SWG1						
	Jet							
	JTW2	JTW3	JTH2	JTGM	JTYF	JT1R	JTRG	
	JTO1	JTR1	JTVM	J T07	JTVI	JTG3	JTV7	
	JTC1	SVTL	JTB3	JTZ6	JTM2	JTZ0		
	Magnum (ecc	a-leather)						
	T5G7	T5B0	T5B6	T5B2	T5B5	T5R4	T5R6	
	T5V3	T5G1	T5M6	T5M5	T5G4	T5M3	T5V8	
	T5NE							
	Connect							
	Connect T6G0	T6G1	T6G2	T6R0	T6R1	T6R2	T6V5	
	T6V6	T6B6	T6NE			7 3112		





ABACUS

Self-calibrating synchronised device with 3-position

High backrest. Gas lift system. Medium backrest. Gas lift system.

